




## 废水自动监测设备比对






## 一、前言

淄博国通环保科技有限公司于 2023 年 11 月 17 日对山东万达化工有限公司废水在线监测设备进行比对监测。

## 二、依据

- (1) 《污水监测技术规范》(HJ91.1-2019)
- (2) 《水污染源在线

Figure 1: Schematic representation of the experimental design. The figure is divided into two main sections: 'Pretest' and 'Main Experiment'. The 'Pretest' section shows a sequence of stimuli: a fixation cross, a word, a word, a word, and a word, followed by a 'Response' box. The 'Main Experiment' section shows a sequence of stimuli: a fixation cross, a word, a word, a word, and a word, followed by a 'Response' box. The 'Main Experiment' section also includes a 'Response' box with a 'Correct' label and a 'Incorrect' label.



| 样品编号 | 测试时间 | 测试仪器 | 检测项目 | 测定值 (mg/L) | 浓度 (mg/L) | 绝对误差 | 允许限值 | 结果评定 |
|------|------|------|------|------------|-----------|------|------|------|
|------|------|------|------|------------|-----------|------|------|------|

| 编号 | 时间 | 浓度 (mg/L) | 检测项目 | 绝对误差 | 结果 |
|----|----|-----------|------|------|----|
|----|----|-----------|------|------|----|

表 3 废水污染源废气自动监测设备比对监测结果表

|              |                 |                |                 |
|--------------|-----------------|----------------|-----------------|
| 排污企业名称       | 山东万达化工有限公司      | 现场监测日期         | 2023.10.17      |
| 监测名称         | NO <sub>x</sub> | 监测因子           | NO <sub>x</sub> |
| 监测方法         | 非分散红外法          | 监测范围           | 0.2~90 (mg/L)   |
| 标准样品替代实际水样测试 |                 |                |                 |
| 样品编号         | 测试时间            | 自动仪器测定值 (mg/L) | 标准样品浓度 (mg/L)   |
|              |                 | 绝对误差 (mg/L)    | 相对误差 %          |
|              |                 | 允许限值 (mg/L)    | 结果判定            |
| NH3-01       |                 |                |                 |

附件：

附件 1：在线设备数据

